

## Index to Volume 45

## Authors and Titles

- Anderson, V. J., and Hodgkinson, K. C.  
Grass-mediated capture of resource flows and the maintenance of banded mulga in a semi-arid woodland 331
- Ash, J. E. *See* Willis, A. J.
- Attiwill, P. M. *See* Bennett, L. T.
- Bell, J. C. *See* Harwood, C. E.
- Bennett, L. T., and Attiwill, P. M.  
The nutritional status of healthy and declining stands of *Banksia integrifolia* on the Yanakie Isthmus, Victoria 15
- Bennett, L. T., Weston, C. J., and Attiwill, P. M.  
Biomass, nutrient content and growth response to fertilisers of six-year-old *Eucalyptus globulus* plantations at three contrasting sites in Gippsland, Victoria 103
- Bignell, C. M. *See* Dunlop, P. J.
- Boland, D. J. *See* Moncur, M. W.
- Boonsaner, A. *See* Hutley, L. B.
- Bower, C. C. *See* Peakall, R.
- Bowman, D. M. J. S.  
Observations on the demography of the Australian boab (*Adansonia gibbosa*) in the north-west of the Northern Territory, Australia 893
- Bradstock, R. A., Tozer, M. G., and Keith, D. A.  
Effects of high frequency fire on floristic composition and abundance in a fire-prone heathland near Sydney 641
- Bradstock, R. A. *See also* Tozer, M. G.
- Brodribb, T., and Hill, R. S.  
Imbricacy and stomatal wax plugs reduce maximum leaf conductance in Southern Hemisphere conifers 657
- Buckney, R. T. *See* Le Brocq, A. F.
- Bukhari, Y. M.  
Cytotoevolution of taxa in *Acacia* and *Prosopis* (Mimosaceae) 879
- Buehrig, R. *See* Shearer, B. L.
- Byrne, A. *See* Shearer, B. L.
- Chen, L., James, S. H., and Stace, H. M.  
Self-incompatibility, seed abortion and clonality in the breeding systems of several Western Australian *Drosera* species (Droseraceae) 191
- Cheshire, A. C. *See* Westphalen, G.
- Clarke, P. J. *See* Williams, P. R.
- Clough, B. F., Dixon, P., and Dalhaus, O.  
Allometric relationships for estimating biomass in multi-stemmed mangrove trees 1023
- Cole, S. *See* Eamus, D.
- Coops, N., Delahaye, A., and Pook, E.  
Estimation of eucalypt forest leaf area index on the south coast of New South Wales using Landsat MSS data 757
- Crane, C. E. *See* Shearer, B. L.
- Creese, R. G. *See* Osunkoya, O. O.
- Dalhaus, O. *See* Clough, B. F.
- Davis, S. D. *See* Williams, J. E.
- D'Costa, D., and Kershaw, A. P.  
An expanded recent pollen database from south-eastern Australia and its potential for refinement of palaeoclimatic estimates 583
- Delahaye, A. *See* Coops, N.
- Dejaegere, R. *See* Demeyer, K.
- Demeyer, K., and Dejaegere, R.  
The influence of the  $Ca^{2+}/K^{+}$  balance and light energy on alkaloid content and partitioning in *Datura stramonium* 81
- Dillon, M. *See* Shearer, B. L.
- Dixon, P. *See* Clough, B. F.
- Dixon, K. W. *See* Meney, K. A.
- Dixon, K. W. *See also* Roche, S.
- Doley, D. *See* Hutley, L. B.
- Dunlop, P. J., Bignell, C. M., and Hibbert, D. B.  
Use of gas chromatograms of the essential leaf oils of the genus *Eucalyptus* for taxonomic purposes 1
- Duff, G. A., Myers, B. A., Williams, R. J., Eamus, D., O'Grady, A., and Fordyce, I. R.  
Seasonal patterns in soil moisture, vapour pressure deficit, tree canopy cover and pre-dawn water potential in a northern Australian savanna 211
- Duff, G. A. *See also* Fordyce, I. R.
- Duff, G. A. *See also* Myers, B. A.
- Duff, G. A. *See also* Prior, L. D.

- Eamus, D., and Cole, S.  
Diurnal and seasonal comparisons of assimilation, phyllode conductance and water potential of three *Acacia* and one *Eucalyptus* species in the wet-dry tropics of Australia 275
- Eamus, D. See also Duff, G. A.
- Eamus, D. See also Fordyce, I. R.
- Eamus, D. See also Myers, B. A.
- Eamus, D. See also Prior, L. D.
- Eamus, D. See also Williams, J.
- El-Tarabily, K. A., Hardy, G. E. St J., and Sivasithamparam, K.  
Effects of host age on development of cavity spot disease of carrots caused by *Pythium coloratum* in Western Australia 727
- Espinoza, F., and Quar'n, C. L.  
Cytoembryology of *Paspalum chaseanum* and sexual diploid biotypes of two apomictic *Paspalum* species 871
- Fairman, R. G. See Shearer, B. L.
- Fairweather, P. G. See Rose, S.
- Ford, E. See Strobel, G. A.
- Fordyce, I. R., Duff, G. A., and Eamus, D.  
The water relations of *Allosyncarpia ternata* (Myrtaceae) at contrasting sites in the monsoonal tropics of northern Australia 259
- Fordyce, I. R. See also Duff, G. A.
- Fordyce, I. R. See also Myers, B. A.
- Fox, J. E. D. See Schatral, A.
- Frakes, L. A.  
Grossplots: a method for estimating the temperature state of the Earth and of Australia, Cretaceous to Middle Miocene 359
- Gell, P. A.  
The development of a diatom database for inferring lake salinity, western Victoria, Australia: towards a quantitative approach for reconstructing past climates 389
- Corrigendum to: The development of a diatom database for inferring lake salinity, western Victoria, Australia: towards a quantitative approach for reconstructing past climates (Volume 45, Number 3) 735
- Gill, A. M. See Pook, E. W.
- Grant, M. J. See Shearer, B. L.
- Gröcke, D. R.  
Distribution of  $C_3$  and  $C_4$  plants in the Late Pleistocene of South Australia recorded by isotope biogeochemistry of collagen in megafauna 607
- Groom, P. K., Lamont, B. B., and Markey, A. S.  
Influence of leaf type and plant age on leaf structure and sclerophylly in *Hakea* (Proteaceae) 827
- Groom, P. K. See also Richards, M. B.
- Groves, R. H. See Willis, A. J.
- Harbard, J. L. See Moncur, M. W.
- Hardy, G. E. St J. See El-Tarabily, K. A.
- Harwood, C. E., Moran, G. F., and Bell, J. C.  
Genetic differentiation in natural populations of *Grevillea robusta* 669
- Hess, W. M. See Strobel, G. A.
- Hibbert, D. B. See Dunlop, P. J.
- Hill, K. D.  
Architecture of the Wollemi pine (*Wollemia nobilis*, Araucariaceae), a unique combination of model and reiteration 817
- Hill, R. S., and Scriven, L. J.  
Palaeoclimate across an altitudinal gradient in the Oligocene-Miocene of northern Tasmania: an investigation of nearest living relative analysis 493
- Hill, R. S. See also Brodribb, T.
- Hnatiuk, R. J. See Sun, D.
- Hobbs, R. J. See Yates, C. J.
- Hodge, G. R. See Tibbits, W. N.
- Hodgkinson, K. C. See Anderson, V. J.
- Hutley, L. B., Doley, D., Yates, D. J., and Boonsaner, A.  
Water balance of an Australian subtropical rainforest at altitude: the ecological and physiological significance of intercepted cloud and fog 311
- James, S. H. See Chen, L.
- James, S. H. See also Kennington, W. J.
- Jones, M. G. K. See Rugkhla, A.
- Jordan, G. J.  
Contrasts between the climatic ranges of fossil and extant taxa: causes and consequences for palaeoclimatic estimates 465  
Uncertainty in palaeoclimatic reconstructions based on leaf physiognomy 527
- Joyce, K. R. See Tibbits, W. N.

- Keith, D. A. See Bradstock, R. A.
- Kennedy, J. See Weste, G.
- Kennington, W. J., and James, S. H.  
Contrasting patterns of clonality in two  
closely related mallee species from Western  
Australia, *Eucalyptus argutifolia* and *E.*  
*obtusiflora* (Myrtaceae) 679
- Kershaw, A. P.  
A bioclimatic analysis of early to Middle  
Miocene brown coal floras, Latrobe Valley,  
south-eastern Australia 373
- Kershaw, A. P. See also DÖCosta, D.
- Kershaw, A. P. See also Lloyd, P. J.
- Kershaw, A. P. See also McKenzie, G. M.
- King, D. A.  
The functional significance of leaf angle in  
*Eucalyptus* 619
- Kirkpatrick, J. B. See Walsh, D.
- Lamont, B. B. See Groom, P. K.
- Lamont, B. B. See also Richards, M. B.
- Le Brocq, A. F., and Buckney, R. T.  
Multivariate relationships between floristic  
composition and stand structure in  
vegetation of Ku-ring-gai Chase National  
Park, New South Wales 1033
- Li, J.-Y. See Strobel, G. A.
- Lloyd, P. J., and Kershaw, A. P.  
Late Quaternary vegetation and early  
Holocene quantitative climate estimates  
from Morwell Swamp, Latrobe Valley,  
south-eastern Australia 549
- Logan, A. E. See Peakall, R.
- Longmore, M. E.  
Quaternary palynological records from  
Perched Lake sediments, Fraser Island,  
Queensland, Australia: rainforest, forest  
history and climatic control 507
- Lunt, I. D.  
A multivariate growth form analysis of  
grassland and forest forbs in south-eastern  
Australia 691
- McComb, J. A. See Rugkhla, A.
- McKenzie, G. M., and Kershaw, A. P.  
A vegetation history and quantitative estimate  
of Holocene climate from Chapple Vale, in  
the Otway region of Victoria, Australia 565
- Macphail, M. K.  
Late Neogene climates in Australia: fossil  
pollen- and spore-based estimates in  
retrospect and prospect 425
- Markey, A. S. See Groom, P. K.
- Martin, H. A.  
The use of ecological tolerances for the  
reconstruction of Tertiary palaeoclimates  
475
- Meney, K. A., Dixon, K. W., and Pate, J. S.  
Reproductive potential of obligate seeder and  
resprouter herbaceous perennial monocots  
(Restionaceae, Anarthriaceae,  
Ecdeiocoleaceae) from south-western  
Western Australia 771
- Moncur, M. W., Boland, D. J., and Harbard, J. L.  
Aspects of the floral biology of *Allocasuarina*  
*verticillata* (Casuarinaceae) 857
- Moore, P. H. R. See Pook, E. W.
- Moran, G. F. See Harwood, C. E.
- Myers, B. A., Duff, G. A., Eamus, D., Fordyce, I.  
R., O'Grady, A., and Williams, R. J.  
Seasonal variation in water relations of trees  
of differing leaf phenology in a wet-dry  
tropical savanna near Darwin, northern  
Australia 225
- Myers, B. A. See also Duff, G. A.
- Navie, S. C., and Rogers, R. W.  
The relationship between attributes of plants  
represented in the germinable seed bank and  
stocking pressure in a semi-arid subtropical  
rangeland 1055
- Neldner, V. J. See Sun, D.
- Nicol, H. I. See Peakall, R.
- O'Grady, A. See Duff, G. A.
- O'Grady, A. See also Myers, B. A.
- Osborne, J. M. See Schatral, A.
- Osunkoya, O. O., and Creese, R. G.  
Population structure, spatial pattern and  
seedling establishment of the grey  
mangrove, *Avicennia marina* var.  
*australasica* in New Zealand 707
- Pate, J. S. See Meney, K. A.
- Pate, J. S. See also Roche, S.
- Peakall, R., Bower, C. C., Logan, A. E., and  
Nicol, H. I.  
Confirmation of the hybrid origin of  
*Chiloglottis x pescottiana* (Orchidaceae:  
Diurideae). I. Genetic and morphometric  
evidence 839
- Peters, D., and Weste, G.  
The impact of *Phytophthora cinnamomi* on  
six rare native tree and shrub species in the  
Brisbane Ranges, Victoria 975

- Pook, E. W., Gill, A. M., and Moore, P. H. R.  
Long-term variation of litter fall, canopy leaf area and flowering in a *Eucalyptus maculata* forest on the south coast of New South Wales 737
- Pook, E. W. See also Coops, N.
- Portwood, K. See Williams, J. E.
- Prior, L. D., Eamus, D., and Duff, G. A.  
Seasonal trends in carbon assimilation, stomatal conductance, pre-dawn leaf water potential and growth in *Terminalia ferdinandiana*, a deciduous tree of northern Australian savannas 53  
Seasonal and diurnal patterns of carbon assimilation, stomatal conductance and leaf water potential in *Eucalyptus tetradonta* saplings in a wet-dry savanna in northern Australia 241
- Quar'n, C. L. See Espinoza, F.
- Reddell, P., Yun, Y., and Shipton, W. A.  
Cluster roots and mycorrhizae in *Casuarina cunninghamiana*: their occurrence and formation in relation to phosphorus supply 41
- Richards, M. B., Groom, P. K., and Lamont, B. B.  
A trade-off between fecundity and drought susceptibility in adults and seedlings of *Hakea* species as influenced by leaf morphology 301
- Roche, S., Dixon, K. W., and Pate, J. S.  
Seed ageing and smoke: partner cues in the amelioration of seed dormancy in selected Australian native species 783
- Rogers, R. W., and Stride, C.  
Distribution of grass species and attributes of grasses near a bore drain in a grazed semi-arid subtropical grassland 919
- Rogers, R. W. See also Navie, S. C.
- Rose, S., and Fairweather, P. G.  
Changes in floristic composition of urban bushland invaded by *Pitiosporum undulatum* in northern Sydney, Australia 123
- Rugkhla, A., McComb, J. A., and Jones, M. G. K.  
Intra- and inter-specific pollination of *Santalum spicatum* and *S. album* 1083
- Schatral, A., Osborne, J. M., and Fox, J. E. D.  
Dormancy in seeds of *Hibbertia cuneiformis* and *H. huegelii* (Dilleniaceae) 1045
- Scriven, L. J. See Hill, R. S.
- Sears, J. See Strobel, G. A.
- Shearer, B. L., Byrne, A., Dillon, M., and Buehrig, R.  
Distribution of *Armillaria luteobubalina* and its impact on community diversity and structure in *Eucalyptus wandoo* woodland of southern Western Australia 151
- Shearer, B. L., Crane, C. E., Fairman, R. G., and Grant, M. J.  
Occurrence of *Armillaria luteobubalina* and pathogen-mediated changes in coastal dune vegetation of south-western Australia 905
- Shipton, W. A. See Reddell, P.
- Sidhu, R. S. See Strobel, G. A.
- Sivasithamparan, K. See El-Tarabily, K. A.
- Skira, I. J. See Walsh, D.
- Stace, H. M. See Chen, L.
- Stride, C. See Rogers, R. W.
- Strobel, G. A., Hess, W. M., Li, J.-Y., Ford, E., Sears, J., Sidhu, R. S., and Summerell, B.  
*Pestalotiopsis guepinii*, a taxol-producing endophyte of the Wollemi pine, *Wollemia nobilis* 1073
- Summerell, B. See Strobel, G. A.
- Sun, D., Hnatiuk, R. J., and Neldner, V. J.  
Review of vegetation classification and mapping systems undertaken by major forested land management agencies in Australia 929
- Tibbitts, W. N., White, T. L., Hodge, G. R., and Joyce, K. R.  
Genetic control of rooting ability of stem cuttings in *Eucalyptus nitens* 203
- Tozer, M. G., and Bradstock, R. A.  
Factors influencing the establishment of seedlings of the mallee, *Eucalyptus luehmanniana* (Myrtaceae) 997
- Tozer, M. G. See also Bradstock, R. A.
- Walsh, D., Kirkpatrick, J. B., and Skira, I. J.  
Vegetation patterns, environmental correlates and vegetation change in a *Puffinus tenuirostris* breeding colony at Cape Queen Elizabeth, Tasmania 71
- Weste, G., and Kennedy, J.  
Regeneration of susceptible native species following a decline of *Phytophthora cinnamomi* over a period of 20 years on defined plots in the Grampians, western Victoria 167
- Weste, G. See also Peters, D.
- Weston, C. J. See Bennett, L. T.

- Westphalen, G., and Cheshire, A. C.  
Quantum efficiency and photosynthetic  
production of a temperate turf algal  
community 343
- White, T. L. See Tibbitts, W. N.
- Williams, J., and Eamus, D.  
Plant ecophysiology: linking pattern and  
process—a review 351
- Williams, J. E., Davis, S. D., and Portwood, K.  
Xylem embolism in seedlings and resprouts of  
*Adenostoma fasciculatum* after fire 291
- Williams, P. R., and Clarke, P. J.  
Habitat segregation by serotinous shrubs in  
heaths: post-fire emergence and seedling  
survival 31
- Williams, R. J. See Duff, G. A.
- Williams, R. J. See also Myers, B. A.
- Willis, A. J., Groves, R. H., and Ash, J. E.  
Seed ecology of *Hypericum gramineum*, an  
Australian Forb 1009
- Yates, C. J., and Hobbs, R. J.  
Temperate eucalypt woodlands: a review of  
their status, processes threatening their  
persistence and techniques for restoration  
949
- Yates, D. J. See Hutley, L. B.
- Yun, Y. See Reddell, P.